

## **xWave 3.9mm**

### Modular Rental Solution



Curve Capable



Lightweight



High Brightness



High Refresh




Rental / Fixed



Thin



90° Corners  
(Optional)



**GLOBALTRENDDPRO.COM**

- One-action locking mechanism
- Magnetic connections for quick fastening
- Separate and exchangeable power and data unit
- Flexible modules with easy angle adjustments
- Bend angle can reach 20° with 5 levels
- One complete circle can be made with 18 panels (2.86m or 9'5" diameter)
- Corners join cleanly at 90°
- Hanging system and Ground support capable


ORACLE LED SYSTEMS.COM

# xWave 3.9mm

## Modular Rental Solution



**Curve Capable**



### Specifications:

<b>Pixel Pitch:</b>	3.9mm
<b>LED Arrangement:</b>	3-in-1 SMD
<b>Module Size:</b>	500x125mm (19.69 x 19.69 x 3.31in)
<b>Physical Density:</b>	65,536 pixels/m <sup>2</sup>
<b>Brightness:</b>	≥1,200 nits
<b>Refresh:</b>	1,000~4,800HZ (configurable)
<b>Driver:</b>	MB15153
<b>Weight:</b>	8.9kg/19.73lbs
<b>Module Resolution:</b>	128x32pixels
<b>Cabinet Resolution:</b>	128x128pixels
<b>Cabinet Dimension:</b>	500mmx500mmx84mm
<b>Max Power Consumption:</b>	600 w/m <sup>2</sup>
<b>Ave Power Consumption:</b>	200 w/m <sup>2</sup>
<b>Viewing Angle:</b>	110° / 110°
<b>Operating Power Source:</b>	100-240V AC 50-60HZ
<b>Operating Temperature:</b>	10°C ~ +45°C
<b>Life Span:</b>	100,000 Hours
<b>Protecting Rating:</b>	IP30



**GLOBALTRENDDPRO.COM**

**ORACLE LED SYSTEMS.COM**



# xWave 3.9mm

## Modular Rental Solution



Flexible Configurations



90° Corners



**GLOBALTRENDDPRO.COM**

**ORACLE LED SYSTEMS.COM**